

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

III. A Catalogue of Eclipses of the four Satellites of Jupiter, for the Year 1732. By James Hodgson, F. R. S. and Master of the Royal Mathematical School at Christ's Hospital, London.

HAVE been long importuned by several of my Friends to publish a Catalogue of Eclipses of Jupiter's Satellites, to the Intent that such Persons as are furnished with proper Instruments, and want neither Leisure nor Inclination to observe them, may no longer neglect the frequent Opportunities that offer, for want of timely Notice.

The great Number of Eclipses that happen in a Year, as appears by the following Catalogue, amounting to 352; notwithstanding the fourth Satellite will pass wide of the Shadow, after the middle of Fanuary next; the Ease with which they are observed, especially since the great Improvement made to the reflecting Telescope by Mr. Hadley; the little Skill that is required to make the Observations, since the Difference of Times, when observed by the largest Glasses, and the smallest through which they may be feen, amounts to scarce one quarter of a Minute; render these Observations the most proper of any that the Heavens afford us, at present, for determining the Longitude of Places; and I may venture to affert. that there are very few Places of Note upon the Surface of our habitable Globe, whose Longitudes are already known, that have not either been absolutely determined mined or, at least, have been rectified and confirmed

by them.

How near these Calculations will answer to the Heavens, must be left to Time to discover; but as the Tables that I have made use of had received no Correction for fifty Years past, I have endeavoured, during the small Time since I set myself about this Work, to correct them as much as the Time would allow me; and, I hope, be fore the Year comes about, to bring some of the Satellites to answer nearer than they do at present, and in the mean time, if those Gentlemen who shall have an Opportunity of observing them, will transmit their Observations to the Royal Society, it will contribute towards a farther Rectification of the Tables.

I have by me the Times of the Appulses of the Moon to the fixed Stars, and their Occultations, by the Interpolition of her Body, for the succeeding Year; which I had some Thoughts of communicating: But as the long-expected Lunar Tables of Dr. Halley will very soon be published (as I am informed) I have deferred that Affair for another Year.

For the Benefit of those Persons who have not been accustomed to make Observations of this Kind, I had determined with myself to have given the Configurations of the Satellites, at the Times when those that are visible in our Hemisphere, which are marked with a Star, will happen; but as it would have taken me up much Time in doing, as well as Expence in graving, I have chose rather to give such People some Instructions, which, if well observed, will not only point out the exact Spot in the Heavens, where the

(111)

Appearance will be visible (for want of knowing which, the Satellite may be Immerged some time before it is missed, and Emerged before it is discovered) but will prevent them from taking one Satellite for another.

And first, the Observer must take Notice, that from the Time of the Conjunction of Jupiter with the Sun, which happened the beginning of September last to the Time of the Opposition which will happen in the middle of March next, the Eclipses in general will be visible on the Western Side, or on the Right Hand of Jupiter, when viewed in the Heavens, and at the Time of the first Quadrature, which will happen about the middle of next December, the first Satellite will immerge into the Shadow of Jupiter's Body at the Distance of two Semidiameters of Jupiter, nearly from the Center of his Body: The fecond Satellite will immerge at the Distance of two Semidiameters and an half, the third Satellite at the Distance of three Semidiameters and a quarter. And as the Earth hastens to the Opposition, which will happen in the middle of next March, the Distance of each Satellite, at the Time of the Eclipse from the Body of Jupiter, will grow less and less, till when the Earth arrives at the Opposition, the Satellite will immerge close to the Limb of Jupiter; and this Diminution or Decrease of Distance will be so regular. that the Spectator, by allowing for the proportionable Part of Time between the Quadrature and the Opposition or Conjunction (the Distances of the Satellites from the Body of Jupiter at equal Distances from these Points being the same) I say, by these

(112)

Means the Spectator will be at no Loss to find the exact Point where the Satellite will appear or disappear. And on the contrary, during the Space of Time that the Earth is moving from the Opposition through the second Quadrature to the Conjunction, which is from the Middle of March to the Beginning of October, the Eclipses will be seen on the East Side, or on the Lest Hand of Jupiter, viewed from the Earth, and at the same Distances, as in the former Case, according as she approaches to the Quadrature from the Opposition, or recedes from it in going to the Conjunction.

By reason of the great Distance of the third Satellite from Jupiter, for about fix Weeks before and after the Quadratures, the Immersions and Emersions become visible on the same Side of the Body of Jupiter; and this, without any other Proof, is an ocular Demonstration, that neither Jupiter nor any of his Satel-lites have any Light of their own, and none but what they borrow from the Sun. And the fame happens to the fourth Satellite, of which we have but two Eclipses in the whole Year; which, according to this Calculation, will happen on the 15th of Fanuary next, when, if the Air be clear, it will be feen to enter into the Shadow about Twelve at Night, on the Right Hand of Jupiter, at the Distance of four Semidiameters and a quarter from his Center, and will emerge on the faine Side thirty Minutes after One in the Morning, at the Distance of almost four Semidiameters on the fame Side.

After this manner will the Satellites appear, if they could be seen with the naked Eye; but if they are seen thro' a Telescope composed of two Convex Glasses,

they will be inverted, that is, from the Time of the Conjunction to the Time of the Opposition, they will appear on the Left Hand of *Jupiter*; and from the Opposition back again to the Conjunction, they will be visible on the Left Hand of his Body.

If these Predictions should prove instrumental in exciting the Curious to improve this most useful Branch of the Astronomical Science, it will be a suf-

ficient Recompence for the Pains I have taken.

(114)
ECLIPSES of the first Satellite of Jupiter for the Year 1732.

	Jan	uary.	1		Febra	uary.		March.			
]	mme	rsions	.]	[mme	rfi o n:	s .	Immersions.			
D.	H.	M.	s.	D.	H.	M.	s.	D.	M.	H.	S.
01	18	42	21*	02	15	07	16*	OI	22	46	15
oż	13	10	16 *	04	09	35	37*	03	17	15	19*
05	07	37	59	06	04	04	04	05	II	44	25 *
07	02	5	37	07	22	32	38	07	06.	13	30 *
o 8	20	33	27	09	17	OI	10*	09	00	42	35
10	15	10	18*	11	11	29	42	10	19	11	42
12	09	29	11*	13	05	58	10	12	13	40	47 *
14	03	57	06	15	00	26	52		Eme	rfions	3
15	22	25	05	16	18	55	32*	14	10	21	41
16	16	53	o 6*	18	13	24	16*	16	04	50	48
19	11	21	0 9*	20	07	53	02	17	23	19	53
21	05	49	15	22	02	21	50	19	17	49	01*
23	00	17	22	23	20	50	39	21	12	18	0 9*
24	18	45	32*	25	15	19	29*	23	06	47	17 *
26	13	13	46 *	27	09	48	23*	25	OI	16	27
28	07	42	13	29	04	17	18	26	19	45	34
30	02	10	27					28	14	14	39
31	20	38	52	1				30	08 E 0	43 L I I	42 P S E S

(115)

ECLIPSES of the first Satellite.

	A_I	oril.		1	M	lay.		June.			
	Eme	fions.	•		Eme	rsions	•		Eme	rfions	•
D.	H.	M.	S.	D.	H.	M.	S.	D.	H.	M.	S.
OI	03	I 2	45	01	05	23	36	02	01	55	3 r
02	2 I.	4 I	47	02	23	52	14	03	20	23	44
04	16	10	49 *	04	18	20	48	05	14	5 I	56
06	10	39	51*	06	12	49	21*	07	09	20	13
08	05	08	48	08	07	17	53	09	03	48	29
09	23	37	44	10	01	46	27	10	22	16	47
II	18	06	39	11	20	14	59	12	16	45	04
13	I 2	35	33 *	13	14	43	30 *	14	11	13	2 2**
15	07	04	27	15	09	12	01*	16	05	41	42
17	OI	33	19	17	03	38	31	18	00	10	OI
18	20	02	09	18	22	09	00	19	18	38	21
20	14	31	o o*	20	16	37	28	2 I	1 3	06	43
22	08	59	52*	22	ľ.	05	55 *	23	07	35	08
24	03	28	42	24	05	34	10	25	02	03	34
25	2 I	57	31	26	00	,OI	27	26	20	32	OI
27	16	26	15	27	18	30	50	28	15	00	29
29	10	54	57	29	12	<i>5</i> 9	02*	30	09	28	58 *
				31	07	27	21		F c	tro	cre

(116)
ECLIPSES of the first Satellite.

	J	uiy.			Ai	igust.		September.			
	Eme	rsions			Eme	rfions	.		Eme	rilons	5.
D.	H.	M.	S.	D.	H.	M.	S.	D.	H.	M.	S.
02	03	57	27	10	06	05	53	02	02	49	29
03	22	25	58	03	00	34	47	03	21	1 8	42
05	16	54	2,9	04	19	03	4.3	05	15	47	5 4
07	ΙΙ	23	0.1	06	13	32	41	07	10	17	05
09	05	51	32	c8	08	01	40 [*]	09	04	46	14
I,I	00	20	o 6	10	02	30	40				
12	18	48	46	11	20	59	40				
14	13	1.7	28	13	15	13	24				
16	07	46	13	15	09	57	46				
18	02	15	00	17	04	26	52		Jup	piter	
19	20	43	45	18	22	56	00		and	the	
21	15	12	31	20	1.7	25	18		Sui	n in	
23	09	41	19	22	11	54	21	(Conju	nctio	1.
25	04	10	15	24	06	23	33				
26	22	39	10	26	00	5 2	43				
28	17	08	06	27	19	21	53				
30	11	36	59	29	13	5 I	06				
				31	08	20	17		_	_	

(117)

ECLIPSES of the first Satellite.

	Oa	ober.		1	Nove	mber.	•	December.				
]	lmme	rsion	S.	I	mme	rfions	S.		Immo	erfion	S	
D.	H.	M.	s.	D.	H.	M.	S.	D.	H.	M.	S.	
				01	04	59	34	01	06	52	14.	
				02	23	27	42	03	OI	19	45	
				04	17	55	47*	04	19	47	17*	
				06	I 2	23	47	06	14	14	48 *	
				08	06	5 I	48	08	08	42	18	
				10	OI	19	49	10	03	09	48	
				11	19	47	49*	11	21	37	19	
				13	14	15	43	13	16	04	45*	
				15	08	43	.32	15	10	32	5 I	
]	imme	rfion	S.	17	03	11	17	17	04	59	41	
21	14	09	52	18.	21	39	00	18	23	27	10	
23	08	38	17	20	16	06	38	20	17	54	38*	
25	03	06	37	22	10	34	15	22	12	22	09	
26	2 I	34	5 I	24	05	10	51	24	06	49	42	
28	16	03	07*	25	23	29	27	26	01	17	18	
30	10	31	21	27	17	57	03*	2.7	19	44	56	
				29	12	24	40	29	14	1.2	35 [*]	
				•		Q		31	о8 Ес	40 L I P	12 SES	

(118)

ECLIPSES of the second Satellite for the Year 1732.

	Š	1	Febru	iary.	1	March.						
	Im	merfi	ons.	• I 1	nme	rfio	ns.	Immersions.				
D.	H.	M.	S.	D.	H.	M	. S.	D.	H.	M.	. S.	
1 04	10	2 1 54	28 A. M.		13		15 44		I 2 O2			*
07	16	10	16** 25	08		42	23	11	1 5 Eme	26	52	*
14	05	42	45*	15	18	17	<i>55</i> *	1	07	3 I	59	涂
18 21	07 21	59 16	01	19	20	3 <i>5</i> 54	11	22	10	_	32 08	*
2 5 2 8	10 23	32 49	52 59	26	23	30	29 * 57	²⁵	23 12	² 7 46	48 18	

	Ap	rik		1	M	ay.	1	June.				
	Eme	rfions	•		Eme	rsions	S.		Emer	sions.	*	
D.	H.	M.	S.	D.	M.	H.	s.	D.	H.	M.	S.	
02 05 09 12 16 19 23 26 30	02 15 04 18 07 20 09 23 12	04 23 41 00 18 36 54 13	46 21* 47 09 26* 42 55* 02	21	01 15 04 17 06 20 09 22	08 06 23 41 59 16 33 50	40 20 59 36 07 34 45* 53	01 05 08 12 15 19 22 26 29	12 01 14 03 17 06 19 09	07 24 41 58 16 33 50 07 25	59** 52 53 57 04 13 26 49**	

(119)

ECLIPSES of the second Satellite.

	7	uly.		1	Au	gust.		September.					
	Eme	rsions	•		Eme	rſions			Emersions.				
D.	H.	M.	s.	D.	H.	M.	s.	D.	H.	M.	s.		
03	řΟ	42	40	04	11	24	13	01	2 I	53	54		
07	OI	00	09	08	00	42	39	05	11	12	50		
10	14	17	41	11	14	OI	09	09	00	31	38		
14	03	35	27	15	03	19	45			-	_		
17	16	53	24	18	16	38	27						
21	06	1 I	22	22	05	57	17						
24	19	29	30	25	19	16	10						
28	08	47	47*	29	ό8	35	O2*						
3 t	22	06	OI.					l					

	O 8	ober.		1	Nov	ember.	•	December.				
	Imm	erfion	ıs.		Imm	erfion	s.		Immo	ersion	s.	
D.	H.	M.	s.	D.	H.	M.	S.	D.	H.	M.	S.	
				01 04 08 11 15	05 18 07 21	20 37 54 10 26	50 35* 06 39 53	03 06 10 13	04 18 07 20	45 01 16 32 47	40 09* 39 05 29	
21 25 28	Imme 13 02 16	erfion 29 46 03	31 48 49	18 22 26 29	23 12 02 15	4.2 58 14 30	48 38 21 04*	20 24 28 31	23 12 01 14	02 18 34 49	53 28 11 57	

Q 2

ACLIPSES of the third Satellite for the Year 1732.

	Imm	erfion	s.	January.		Eme	rfions	· •.
D.	H.	M.	S.		D.	H.	M.	S.
07	02				07			- •
14		30	30	1	14	_		02
21		26	59*		21			45
28	14	24	12*	l	28	17	•	10
				February.		·		
]	[mme	ríions				Eme	rsions	•
D.	H.	M.	S.	1	D.	H.	M.	S.
04	18	22	09,		04	21	17	
-	22	20			•		,	
19	02	19	57					
26			47					
				March.				
]	lmme	rfions	l :			Eme	rsions.	
D.	H.	M.	S.		D.	H.	M	S.
04		20	10*		_			
II	14	20	50*		2.8		12	05
				4	26	01	12	06
				April.				
I	mmer	fions.		ŧ	1	Emeri	lions.	
D.	H.	M.	S.	1	D.	H.	M.	S.
				1	02	05	11	49
				1	09	09		34*
				l	1.6	13	10	56*
23	14	~	30		23	17		10
30	18	22	58	ř	30	2 I	08	
							E	CLIPSES

(121)

ECLIPSES of the third Satellite.

				May.				
I	mme	rsions	•	1		Eme	rfion	5
D.	H.	M.	s.		D.	H.	M.	S.
07	22	2 I	51	1	`o8	OI	07	01
15	02	20	34		15	05		58
22	06	19	01	1		09		
29		16	46	1	29		59	39 * 38
			•	June.				
J	lmme	rsions	i .			Eme	rsions	•
D.	H.	M.	S.		D.	H.	M.	S.
		14	I 2		05	16	56	18
	18				12			
	22	09	-	I	20	00		05
	02	07	-		27	08		02*
,		•		July.				
I	mme	rsions	•	1		Eme	rfions	,
D.	ы	M.	S.		D.	H.	M.	S.
D.	06	06	02	l			45	
11	10	04	34*	1		12		
	14		5 4 47	l l	18	16	41	
25		03	27	1	18		40	1)
25	10	05	-,	August.	•		4	
1	imme	rsions		Ï		Eme	rsions	•
D.	H.	M.	S.	l	D.	H.	M.	S.
OI	.22	03	23	1	02	00	39	23
01	24	~3	-3	l	09		38	57
				ļ		08	38	52*
					23	12	39	13
				j	30	16	39	42
				•	J	*		.IPSES

(122)

ECLIPSES of the third Satellite.

		fions. M.	s.	Septen	nber.	D.		M.	
				1			20 00	-	
				Octo	ber.	•		•	0.5
3	Imme	rfions.	•	1			Emer	sions.	
D.	H.	M.	S.			D.	H.	M.	S.
19 26		08 06	42 33	Nove	mber.				
	Imm	e rfio n:	s.	1			Eme	rfions	
D.	H.	M.	S.			D.	H.	M.	S.
17	06 09	03 00 55 50	11 54			2.1	16	T (*	4.5-
-4	+3	50	43	Dec	ember		10	15	45
	Imm	erfion	s.				Eme	fions	•
D.	H.	M	. S.			D.	H.	M.	S.
01 08 16 23	01	33	40 45 51	•		10 09 16 23 30	00 03 07	03 56 50 44	38 57

(123)

Eclipses of the fourth Satellite for the Year 1732.

D. H. M. S.

Fanuary 15 at 11 59 52* an Immersion.

at 13 59 54* an Emersion.

After which Time the Satellite will pass wide of the Shadow of Jupiter; and there will be no more Eclipses till the Beginning of the Year 1734.

IV. A Letter to the President of the Royal Society, from Frank Nicholls, M. D. F. R. S. giving an Account of a Polypus, resembling a Branch of the Pulmonary Vein, coughed up by an asthmatic Person.

SIR,

Icholas Tulpius, in the 7th Observation of his fecond Book, presents us with the Case of a Man who, with a large Effusion of Blood, threw up, by coughing, two Branches of the Pulmonary Vein, six Inches long, with their several Ramifications, freed from the Trachea and Substance of the Lungs, as if dissected by the most accurate Anatomist. This Case he observes to be very extraordinary, and not to be parallell'd in the Writings of physical Authors.

A little Acquaintance with the Structure of the Lungs sufficiently evinces the Impossibility of the Fact,